

滿足客戶五大重點

1. 品質穩定
2. 交期迅速
3. 價格合理
4. 服務超值
5. 技術專業



日銷股份有限公司 事業部一廠
張銷特殊鋼鐵 販售部二廠
地址: 42085 台中市豐原區豐勢路二段535巷26號
電話: 04-2520-1828 / 2520-1880 / 2520-1829
傳真: 04-2520-1827




JRS Special steel Co., Ltd.
Add: No.414 Sec1, Feng Shih Road, Feng Yuan Dist,
Taichung city, Taiwan, 42085
TEL:886-4-2520-1828, FAX:886-4-2520-1827
E-Mail: jerry.steel@msa.hinet.net
Website: www.samurai-saw.com

版權所有
翻印必究
Copyright



賦予鋼鐵生命! Animate steel life!



專業進口販售國內外特殊鋼 · 迅速供應客戶多元化加工素材
Professional import selling the special steel! Quickly supply customer diversification service!

2012/10/16 JERRY SPECIAL STEEL Co., Ltd.



賦予鋼鐵生命!
Animate steel life!

專業進口販售國內外特殊鋼・迅速供應客戶多元化加工素材
Professional import selling the special steel! Quickly supply customer diversification service!

導入進口高效能精密機械設備
High-Effect precise machining equipment



事業部一廠 Samurai saw works



販售部二廠 JRS special steel



裁切部三廠 Sawing machine center



切割部四廠 Cutting center



鋸床 Japan band saw machine



電腦鋸床 NC Carbide band saw machine



銑削用途 CNC machine center



車削用途 CNC Lathe



超硬圓鋸機 Automatic sawing machine



高速圓鋸機 High speed circular sawing



雷射切割用途 CNC Laser cutting



研磨用途 Rotary surface Grinder



賦予鋼鐵生命!

Animate steel life!

特殊鋼種一覽

Alloy Steel Grade Classification



MATERIALS 國際鋼鐵編號		
JIS 日本番號	SAE AISI 美國編號	DIN 歐洲編號
S10 C	1010	C10 E
S15 C	1015	C15 E
S20 C	1020	C20 E
S25 C	1025	C25 E
S35 C	1035	C35 E
S45 C	1045	C45 E
S50 C	1050	C50 E
S55 C	1055	C55 E
SCM-415	4115	15CrMo5
SCM-420	4120	25CrMo4
SCM-435	4135	34CrMo4
SCM-440	4140	42CrMo4
SCR-415	5015	15Cr3
SCR-435	5135	37Cr4
SCR-440	5140	41Cr4
SNCM-220	8620	20NiMo2
SNCM-439	4340	40NiCrMo6
SMN-420	1524	22Mn6
SMN-433	1536	34Mn5
SACM-645	7140	41CrA1
SUJ-2	52100	100Cr6
SKD-11	D2	X165CrMoV12
SKD-1	D3	X210Cr12
SKD-61	H13	X40CrMoV51
SKD-6	H11	X38CrMoV51
SUS-303	303	X8CrNiS8-9
SUS-304	304	X8CrNiS18-10
SUS-316	316	X6CrNiMoTi17 12 2
SUS-403	403	X6Cr13
SUS-410	410	X12Cr13
SUS-420	420	X20Cr13
SUS-430	430	X6Cr17
SUS-434	434	X6CrMo17-1
STKM11-15A-C	A570	ST37/42
SS490	A572	ST52/60




棒鋼規格表

鋼種	外徑
S45C 圓黑皮中碳鋼	13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32, 34, 36, 38, 40, 42, 44, 45, 46, 48, 50, 53, 55, 57, 60, 62, 65, 67, 70, 72, 75, 80, 82, 85, 87, 90, 92, 95, 100, 105, 110, 115, 120, 125, 130, 135, 140, 145, 150, 155, 160, 165, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460 至1000 mm.
SCM-440 紅十字鋼	14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32, 34, 36, 38, 40, 42, 44, 45, 46, 48, 50, 53, 55, 60, 65, 70, 72, 75, 80, 85, 90, 95, 100, 105, 110, 115, 120, 125, 130, 135, 140, 145, 150, 155, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300至1000 mm.
SCM-415 SCM-420 綠十字鋼	14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32, 34, 36, 38, 40, 42, 44, 45, 46, 48, 50, 53, 55, 60, 65, 70, 75, 80, 85, 90, 95, 103, 105, 110, 115, 120, 125, 130, 135, 140, 145, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 370至1000 mm.
SNCM-220 白十字鋼	16, 18, 19, 20, 22, 24, 25, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 45, 46, 50, 55, 60, 65, 70, 73, 75, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330至620 mm
SNCM-439 藍十字鋼	16, 17, 18, 19, 22, 24, 25, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 45, 46, 48, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330至620 mm
SACM-645 黑十字鋼	16, 19, 25, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290 mm
SUJ-2 軸承鋼	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 25, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 47, 48, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220 mm
SK-2 紅牌鋼	16, 19, 22, 25, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200 mm
SKD-11 冷作模具鋼	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 19, 20, 22, 24, 25, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 45, 46, 48, 51, 56, 61, 66, 71, 76, 81, 86, 91, 96, 101, 111, 121, 131, 141, 151, 161, 171, 181, 191, 201, 212, 222, 232, 242, 252, 262, 272, 282, 292, 322, 332, 342, 372, 382, 392, 402, 412, 422, 432, 492, 502 mm
SKD-61 熱壓模具鋼	2, 3, 4, 6, 7, 8, 9, 10, 13, 14, 16, 19, 20, 22, 24, 25, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 51, 56, 61, 66, 71, 76, 81, 86, 91, 96, 101, 111, 121, 131, 141, 151, 161, 171, 181, 191, 201, 212, 222, 232, 242, 252, 262, 272, 282, 292, 301, 311, 312, 321, 331, 401, 460 mm
SKS-3 綠牌鋼	8, 12, 13, 14, 16, 19, 20, 22, 25, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 51, 56, 61, 66, 71, 76, 81, 86, 91, 96, 101, 111, 121, 131, 141, 151, 161, 171, 181, 191, 201 mm
SKH-9 高速鋼9種	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 18, 19, 20, 22, 24, 25, 26, 28, 30, 32, 33, 34, 36, 37, 38, 40, 42, 44, 45, 46, 48, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190 mm
SKH-55 高速鋼55種	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 19, 20, 22, 24, 25, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 45, 48, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190 mm

- 耐磨耗性 Wear resistance
- 耐熱衝擊, 耐損耗性 Thermal shock & Fracture resistance



特殊鋼種一覽




抽光面規格表

鋼種	外徑
S45CBD 圓光面中碳鋼	6, 7, 8, 9, 10, 12, 13, 15, 16, 19, 20, 22, 24, 25, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 45, 48, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100 mm R
S45CBD H 六角光面中碳鋼	8, 10, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33.3, 35, 36, 38, 41, 46, 50, 55, 57, 65 mm 3/8", 7/16", 1/2", 5/8", 1-1/4" inch 英制
S45CBD S 四角光面中碳鋼	6, 8, 10, 12, 14, 15, 16, 18, 20, 22, 25, 50 mm 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 1", 1-1/4", 1-1/2" 1-3/4", 2" inch 英制
S45CBD F 扁光面中碳鋼	6x38, 6x50, 8x25, 8x40, 8x50, 9x25, 9x32, 9x38, 9x50, 10x32, 10x45, 10x50, 10x60, 12x25, 12x32, 12x38, 12x50, 12x65, 16x25, 16x32, 16x38, 16x50, 16x61, 16x65, 16x75, 19x25, 19x32, 19x38, 19x50, 19x65, 19x75, 22.23x50, 25x32, 25x38, 25x50, 25x65, 25x75, 32x32, 32x50, 40x40, 60x60, 60x70 mm
SK-4 G 紅牌精密研磨棒	1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2.0 至 10, 10.5, 11, 11.5, 12, 12.5, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 35, 36, 38, 40, 42, 45, 50 mm 公制 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 1" inch 英制
SUJ-2 G 軸承鋼研磨棒	1.0, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2.0 至 10, 10.5, 11, 11.5, 12, 12.5, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 35, 36, 38, 40, 42, 45, 50, 60, 80 mm 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 1", 1-1/4" inc 英制
SKD-11 G 紫牌精密研磨棒	2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14, 15, 16, 18, 19, 20, 22, 25, 30, 32 mm
1215 光面快削硫磺	圓棒 Ø 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70 mm 六角H 5, 6, 7, 8, 9, 10, 11, 12, 12.7, 14, 15.87, 16, 17, 19, 21, 22, 23, 24, 25.4, 26, 27, 29, 31.75, 32, 35, 38 mm
12L14 光面快削鉛	圓棒 Ø 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70 mm 六角H 5, 6, 7, 8, 9, 10, 11, 12, 12.7, 14, 15.87, 16, 17, 19, 21, 22, 23, 24, 25.4, 26, 27, 29, 31.75, 32, 35, 38 mm
1144 光面快削中碳鋼	圓棒 Ø 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52 mm 六角H 5, 6, 7, 8, 9, 10, 11, 12, 12.7, 14, 15.87, 16, 17, 19, 21 mm
SCM-440 L 光面快削紅十字	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30 mm
SCM-415 L 光面快削綠十字	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30 mm
SUS-303 不鏽鋼圓棒 (藍)	2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 1", 26, 27, 28, 29, 30, 32, 34, 35, 36, 38, 40, 42, 45, 48, 50, 2", 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105, 110, 115, 119, 120, 130 mm
SUS-304 不鏽鋼圓棒 (黃)	3, 4, 5, 5.5, 6, 7, 8, 9, 9.5, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 1", 26, 27, 28, 30, 32, 34, 35, 36, 38, 40, 42, 45, 48, 50, 2", 55, 57, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105, 110, 115, 120, 130, 140, 150, 160, 170, 180, 190, 212, 219, 241 mm
SUS-420 J2 不鏽鋼圓棒 (粉紅)	8, 10, 11, 12, 16, 18, 19, 20, 22, 25, 1", 28, 30, 32, 35, 36, 38, 40, 42, 45, 46, 50, 2", 55, 60, 65, 70, 72, 75, 80, 85, 90, 95, 97, 100, 110, 115, 118, 120, 130, 140, 150, 160, 170 mm
Special Shaped Steel 訂抽異形鋼	Customization special molding shaped steel 客制化開模具成形


賦予鋼鐵生命!

Animate steel life!



鋼板規格表

鋼種	厚度
S50C F 黑皮中碳鋼板	6, 9, 10, 12.7, 13, 16, 19, 22, 25, 28, 32, 38, 45, 50, 55, 65, 75, 85, 95, 105, 115, 125, 135, 145, 155, 165, 175, 185, 195, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300 mm.
S50C S 四角中碳鋼板	12.7, 16, 19, 22, 25, 28x28mm, 32x32mm, 38x38mm, 44x44mm, 50x50mm, 55x55mm, 65x65mm, 75x75mm, 90x90mm, 100x100mm, 110x100mm, 120x120mm, 130x130mm, 140x140mm.
SCM-440 F 紅十字鋼板	13, 14, 16, 19, 22, 25, 28, 32, 38, 45, 50, 55, 65, 75, 85, 95, 105, 115, 125, 135, 145, 155, 165, 175, 185, 195, 205, 215, 225, 235, 245, 255, 265, 275, 285 mm
SNCM-30H F 高強度調質板	16, 22, 25, 28, 30, 32, 35, 38, 40, 45, 50, 55, 65, 75, 85 mm
SKD-11 F 冷作模具鋼板	8, 10, 11, 13, 16, 17, 19, 20, 22, 24, 26, 27, 28, 30, 32, 33, 35, 38, 39, 41, 42, 46, 51, 56, 61, 66, 71, 76, 86, 91, 96, 102, 105, 112, 116, 126, 132, 140, 142, 152, 165, 172, 182, 192, 205 mm.
SKD-61 F 熱壓模具鋼板	13, 16, 19, 22, 24, 26, 28, 30, 32, 34, 36, 38, 45, 50, 55, 65, 75, 86, 90, 92, 95, 105, 115, 118, 125, 130, 140, 150, 160, 170, 180 mm.



鋼板規格表

鋼種	厚度
SK-85 M 碳素工具鋼薄板 (鋸帶鋼)	1.2, 1.4, 1.6, 1.8, 2.0, 2.15, 2.35, 2.6, 2.7, 3.0, 3.2, 3.5, 3.7, 4.0, 4.2, 5.0 mm
SKS-77 M 合金工具鋼薄板 (高張力鋸帶鋼)	1.0, 1.2, 1.4, 1.6, 1.8, 2.0, 2.15, 2.35, 2.6, 2.7, 3.0, 3.2, 3.5, 3.7, 4.0, 4.2, 5.0 mm
SKS-81 M 合金工具鋼薄板 (高彈性鋸帶鋼)	1.4, 1.6, 1.8, 2.0, 2.15, 2.35, 2.6, 2.7, 3.0 mm

